
June 2017 Ends Up As One of the Top Ten Warmest and Wettest Junes in a Few Locations across West Central and Southwest Florida

Temperatures across West Central and Southwest Florida ranged from about 1 degree below to 2.5 degrees above average for June 2017 and this placed a couple of locations in the Top Ten Warmest for June.




JUNE TEMPERATURE (deg F - Top Ten Warmest):


	June 2017	Normal	Departure
Location	Rank Avg Temp	June Temp	fm Normal
Plant City	3rd(tie) 83.2	80.7	+2.5
Punta Gorda 4 ESE	3rd(tie) 83.3	81.8	+1.5

JUNE TEMPERATURE (deg F - Top Ten Coolest):

	June	2017	Normal	Departure
Location	Rank	Avg Temp	June Temp	fm Normal
Inverness 3 SE	10th	79.2	80.4	-1.2

As for rainfall, the rainy season usually gets underway during June and this year the rains began right on schedule. For the month most of the area was well above normal for June with a few locations ending up in the Top Ten Wettest. However, portions of Levy and Citrus counties were still below normal for the month.





June 2017 Rainfall Dep fm Avg

JUNE RAINFALL (inches - Top Ten Wettest):

	Jun	e 2017	Normal	Departure
Location	Rank	Rainfall	June Rain	fm Normal
Plant City	2nd	17.01	8.62	+8.39
Punta Gorda 4 ESE	9th	15.53	8.92	+6.61
Lakeland	10th	13.04	8.02	+5.02
Winter Haven Area	10th	11.25	7.71	+3.54

Following are tables of the Top Ten Warmest, Coolest, Driest, and Wettest Junes at some official NWS locations, which include the average/total for this June where available, and the 1981-2010 Normal (average) temperature and rainfall for the month of June.

Chiefland 5 ESE (Records Began July 1956):

Warmest Junes	Coolest Junes	Driest Junes	Wettest Junes			
1 82.6 in 1998	1 77.0 in 1965	1 1.00 in 1998	1 15.06 in 2003			
2 82.3 in 2016	2 77.1 in 1974	2 1.27 in 1977	2 14.12 in 2012			
3 82.1 in 2015	77.1 in 1966	3 1.97 in 1971	3 13.11 in 1974			
4 81.7 in 1989	4 77.4 in 1963	4 2.33 in 1991	4 12.90 in 1965			
5 81.3 in 1985	5 77.7 in 1997	5 3.10 in 1963	5 11.98 in 2002			
6 81.0 in 2011	77.7 in 1984	6 3.27 in 1979	6 11.84 in 2009			
81.0 in 1977	7 77.9 in 2006	7 3.48 in 1968	7 11.64 in 1983			
8 80.9 in 2010	77.9 in 1962	8 3.51 in 2008	8 11.49 in 2016			
80.9 in 1986	9 78.0 in 1995	9 3.63 in 2010	9 11.35 in 1995			
10 80.7 in 1958	10 78.1 in 1961	10 3.70 in 1958	10 9.98 in 1989			
• • •	• • •		• • •			
18 80.0 in 2017	37 80.0 in 2017	l9 5.56 in 2017 4	41 5.56 in 2017			
in 1994	in 1994					
in 1993	in 1993					
in 1982	in 1982					
Normal June Temp at	CHIF1 = 78.8	Normal June Rain at (CHIF1 = 7.72			

Inverness 3 SE (Records Began July 1948):

Warmest Junes	Coolest Junes	Driest Junes	Wettest Junes		
1 83.6 in 1981	1 77.7 in 1995	1 1.69 in 1977	1 21.84 in 2003		
2 83.5 in 2010	2 78.1 in 1976	2 1.95 in 1981	2 17.44 in 1974		
3 83.4 in 1998	3 78.2 in 1997	3 2.07 in 1998	3 15.45 in 1982		
4 82.9 in 1969	4 78.4 in 2003	4 2.73 in 1954	4 14.88 in 2012		
82.9 in 1952	5 78.6 in 1966	5 2.93 in 2010	5 13.13 in 1989		
6 82.7 in 1950	6 78.9 in 1991	6 3.14 in 1964	6 12.19 in 1985		
7 82.5 in 2016	78.9 in 1955	7 3.31 in 2015	7 12.06 in 1960		
82.5 in 1958	8 79.0 in 2012	8 3.70 in 1963	8 12.04 in 1965		
9 82.4 in 2015	9 79.0 in 1994	9 3.80 in 1987	9 11.66 in 2009		
82.4 in 2011	10 79.2 in 2017	10 3.91 in 1979	10 10.94 in 2016		
			• • •		
		36 7.44 in 2017	32 7.44 in 2017		
Normal June Temp at INVF1 = 80.4 Normal June Rain at INVF1 = 8.30					

Contact: Paul Close, Paul.Close@noaa.gov

Bushnell 1 E (Records Began July 1948):

Wá	armest	Jı	unes	C	polest	t Jı	unes		Dri	iest 3	June	es	We	ettest	Jur	nes
1	84.0	in	1998	1	74.7	in	1983		1	0.66	in	1998	1	18.09	in	2012
2	82.5	in	1981	2	76.5	in	1966		2	1.84	in	1954	2	16.85	in	1974
3	82.0	in	1952	3	77.0	in	1984		3	1.97	in	1956	3	15.24	in	2002
4	81.8	in	1969	4	77.8	in	2012		4	1.98	in	1977	4	14.86	in	1990
5	81.5	in	1977		77.8	in	1955		5	2.52	in	1979	5	12.39	in	1989
6	81.4	in	1982	6	77.9	in	1965		6	2.64	in	1950	6	11.69	in	1966
7	81.3	in	1985	7	78.1	in	1976		7	2.87	in	1978	7	11.62	in	2013
8	81.1	in	2016	8	78.5	in	1974		8	3.00	in	2006	8	11.43	in	1982
9	80.9	in	1987	9	78.7	in	2014		9	3.01	in	1958	9	10.85	in	1949
10	80.8	in	2000	10	78.8	in	1986	-	10	3.03	in	1970	10	10.72	in	2005
	80.8	in	1964		78.8	in	1988									
					78.8	in	1980									
					78.8	in	1967									
					78.8	in	1960									

Avg Temp for June 2017 = Not Avbl Yet Rain Total for June 2017 = Not Avbl Yet Normal June Temp at BSHF1 = 80.4 Normal June Rain at BSHF1 = 6.18

Brooksville Area (Records Began January 1892):

Warmest	Junes	Coolest	Junes	Driest J	unes	Wettest J	unes
2 83.4 3 82.2 82.2 5 82.1 82.1 7 81.9	in 1927 in 1998 in 1909 in 1899 in 1964 in 1914 in 2010 in 1935	1 76.6 2 77.1 2 77.1 2 4 77.6 2 5 77.9 2 6 78.1 2 78.1 2 8 78.3	in 1920 in 1894 in 1966 in 1910 in 1946 in 1930	2 0.91 3 2.27 4 2.56 5 2.68	in 1977 in 1956 in 1988 in 1931 in 1933	1 21.68 i 2 20.81 i 3 19.29 i 4 14.64 i 5 14.37 i 6 14.29 i 7 14.19 i 8 13.94 i	n 1945 n 2003 n 2013 n 1974 n 1982 n 1893
	in 1950 in 1944	78.3 ±	in 1965 in 1919 - 1	9 3.63 10 3.86	in 1918 in 2011	9 13.89 i 10 13.69 i	
	in 2017 in 2004 in 1943 in 1939	<u>.</u>	in 2004		in 2017	 15 12.80 i	n 2017
Normal J	une Temp at	BKV = 80	0.0	Normal Ju	ne Rain at	BKV = 7.65	i

Contact: Paul Close, <u>Paul.Close@noaa.gov</u>

Date: 07/02/2017

St. Leo (Records Began April 1895):

Warmest Junes	Coolest Junes	Driest Junes	Wettest Junes
1 86.4 in 1998 2 83.3 in 1981	1 75.9 in 1930 2 77.1 in 1920	1 0.08 in 1998 2 1.60 in 1973	1 24.26 in 1934 2 20.30 in 2012
3 83.1 in 1952	3 77.3 in 1919	3 2.14 in 1979	3 19.08 in 1974
4 82.9 in 1897	4 77.7 in 1966	4 2.33 in 1967	4 18.00 in 1896
5 82.8 in 1948	77.7 in 1923	5 2.68 in 1948	5 17.25 in 1943
6 82.7 in 1899	6 78.1 in 2012	6 2.95 in 1951	6 16.90 in 1945
7 82.6 in 2009	78.1 in 1933	7 3.02 in 1958	7 16.31 in 2005
82.6 in 2004	8 78.3 in 1922	8 3.28 in 1980	8 14.70 in 1999
82.6 in 1898	78.3 in 1916	9 3.62 in 1915	9 14.35 in 2002
10 82.4 in 1985	78.3 in 1903	10 3.73 in 1984	10 13.91 in 1910
82.4 in 1950			

Avg Temp for June 2017 = Not Avbl Yet Rain Total for June 2017 = Not Avbl Yet Normal June Temp at STLF1 = 81.6 Normal June Rain at STLF1 = 7.77

Tarpon Springs (Records Began January 1892):

Warmest Junes	Coolest Junes	Driest Junes	Wettest Junes
1 84.6 in 2004 2 84.2 in 1998	1 77.2 in 1894 2 77.9 in 1907	1 0.62 in 1991 2 0.72 in 1998	1 21.73 in 2012 2 18.29 in 1974
3 83.9 in 2010	77.9 in 1900	3 1.17 in 1935	3 18.10 in 1909
4 83.6 in 2005	4 78.1 in 1939	4 1.47 in 1955	4 14.08 in 1934
5 83.3 in 1994	78.1 in 1908	5 1.49 in 1950	5 13.47 in 1900
6 83.2 in 2016	6 78.3 in 1892	6 1.56 in 1947	6 13.21 in 1912
83.2 in 1927	7 78.4 in 1974	7 1.63 in 1980	7 12.71 in 1943
8 83.1 in 1952	78.4 in 1955	8 1.70 in 1931	8 12.12 in 1957
9 82.9 in 1950	78.4 in 1910	9 1.73 in 1979	9 11.69 in 2001
10 82.8 in 1992	78.4 in 1895	10 1.83 in 1971 1.83 in 1921	10 11.47 in 1982

Avg Temp thru June 29, 2017 = 81.4 Rain Total thru June 29, 2017 = 9.39 Normal June Temp at TRPF1 = 80.8 Normal June Rain at TRPF1 = 6.69

Tampa Area (Records Began April 1890):

Warmest Junes	Coolest Junes	Driest Junes	Wettest Junes
1 85.6 in 1998 2 84.8 in 2010 3 83.7 in 1985 83.7 in 1977 5 83.6 in 2011 6 83.3 in 2008 7 83.2 in 2004 8 83.1 in 2016	1 78.5 in 1930 2 78.6 in 1955 3 78.9 in 1976 78.9 in 1913 78.9 in 1892 6 79.1 in 1966 7 79.2 in 1923 79.2 in 1910	1 1.26 in 1918 2 1.46 in 1997 3 1.47 in 1931 4 1.77 in 2014 5 1.86 in 1951 6 2.03 in 1978 7 2.05 in 1970 8 2.07 in 1979	1 18.66 in 2012 2 18.52 in 1945 3 15.92 in 1934 4 13.75 in 1974 5 13.47 in 1912 6 13.42 in 1896 7 13.19 in 2003 8 12.54 in 1943
83.1 in 1952 83.1 in 1944	79.2 in 1903 10 79.3 in 1916 79.3 in 1908 79.3 in 1894	9 2.41 in 1922 10 2.54 in 1971	9 12.41 in 1892 10 12.26 in 2005
		7.90 in 2017 in 1953	7.90 in 2017 in 1953
Normal June Temp at	t TPA = 82.2	Normal June Rain at	TPA = 6.68

St Petersburg (Records Began August 1914):

Warmest Junes	Coolest Junes	Driest Junes	Wettest Junes
1 86.5 in 2010	1 79.1 in 1955	1 0.90 in 1979	1 23.00 in 1974
2 85.2 in 1998	2 79.6 in 1930	2 1.03 in 1948	2 16.88 in 1943
3 84.6 in 2004	3 80.0 in 1974	3 1.26 in 1931	3 16.60 in 1995
4 84.5 in 1977	4 80.3 in 1923	4 2.05 in 1973	4 14.80 in 2016
5 84.3 in 1973	80.3 in 1920	5 2.21 in 1993	5 12.99 in 2003
6 84.2 in 1969	6 80.4 in 1976	6 2.35 in 1949	6 12.95 in 2012
7 84.1 in 1987	80.4 in 1922	7 2.36 in 2004	7 12.29 in 1939
84.1 in 1981	80.4 in 1916	8 2.56 in 1977	8 12.12 in 1945
9 83.9 in 1944	9 80.5 in 1995	9 2.63 in 1980	9 11.63 in 1968
10 83.8 in 1994	80.5 in 1968	10 2.73 in 1916	10 11.02 in 1990
	80.5 in 1966		
	80.5 in 1956		
	80.5 in 1949		
35 82.6 in 2017	65 82.6 in 2017	88 9.46 in 2017	16 9.46 in 2017
in 2016	in 2016		
in 1975	in 1975		
in 1937	in 1937		
Normal June Temp a	it SPG = 82.7	Normal June Rain at	SPG = 6.38

Plant City (Records Began February 1893):

Warmest Junes	Coolest Junes	Driest Junes	Wettest Junes
1 83.8 in 1998	1 76.4 in 1933	1 0.56 in 1979	1 17.08 in 1968
2 83.4 in 2010	2 76.5 in 1930	2 1.09 in 1948	2 17.01 in 2017
3 83.2 in 2017	3 77.1 in 1931	3 1.50 in 1961	3 16.48 in 1943
83.2 in 2016	4 77.6 in 1976	4 1.72 in 1931	4 16.44 in 1896
83.2 in 1981	5 77.9 in 1936	5 1.95 in 1998	5 16.37 in 1945
6 82.9 in 1911	6 78.0 in 1966	6 2.50 in 1993	6 16.24 in 1986
7 82.6 in 1915	7 78.1 in 1938	7 2.65 in 1956	7 15.44 in 2013
8 82.5 in 1985	78.1 in 1932	8 3.08 in 1898	8 15.34 in 1992
9 82.2 in 2015	78.1 in 1925	9 3.44 in 1950	9 14.98 in 2012
82.2 in 2011	10 78.2 in 1929	10 3.53 in 1973	10 14.93 in 1934
82.2 in 1969	78.2 in 1907	3.53 in 1895	
82.2 in 1914			

Normal June Temp at PLCF1 = 80.7 Normal June Rain at PLCF1 = 8.62

Date: 07/02/2017

Lakeland (Records Began January 1915):

Warmest Junes	Coolest Junes	Driest Junes	Wettest Junes
1 84.8 in 2010 2 84.5 in 1998 3 83.5 in 1985	1 76.8 in 1930 2 77.8 in 1966 77.8 in 1929	1 1.86 in 1998 2 1.87 in 1948 3 2.22 in 1915	1 15.55 in 2012 2 14.86 in 1968 3 14.63 in 1934
4 83.4 in 2015	4 78.2 in 1919	4 2.54 in 1931	4 14.48 in 2005
5 83.3 in 1987 83.3 in 1981 83.3 in 1977	5 78.3 in 2007 78.3 in 1920 7 78.4 in 1968	5 2.97 in 1971 6 3.06 in 1979 7 3.18 in 2010	5 14.00 in 1939 6 13.55 in 1974 7 13.12 in 1930
8 83.1 in 2016	8 78.5 in 1965	8 3.31 in 1970	8 13.11 in 2013
9 83.0 in 1990	9 79.0 in 1976	9 3.37 in 1952	9 13.09 in 1992
83.0 in 1989	10 79.2 in 1974 79.2 in 1923 79.2 in 1921	10 3.47 in 1955 3.47 in 1918	10 13.04 in 2017
29 81.7 in 2017 in 1988	73 81.7 in 2017 in 1988		
Normal June Temp at	LLDF1 = 80.8	Normal June Rain at	LLDF1 = 8.02

Contact: Paul Close, Paul.Close@noaa.gov

Winter Haven Area (Records Began March 1941):

Wa	armest	. Jı	ınes	C	oolest	: Jı	ınes	Dr	iest 3	June	es	We	ettest	Jur	nes
_	84.9			_	77.6 78.5			1 2	0.66			_	16.44 15.04		
3	84.0	in	1989	3	78.6	in	1974	3	2.62	in	1973	3	14.46	in	1945
4	83.7	in	2004		78.6	in	1971	4	2.72	in	1957	4	13.75	in	2015
5	83.6	in	2015	5	78.9	in	1972	5	3.38	in	2000	5	13.67	in	2012
	83.6	in	1952	6	79.0	in	1966	6	3.41	in	1963	6	13.07	in	1974
7	83.4	in	2016	7	79.2	in	1980	7	3.50	in	2007	7	12.50	in	2005
	83.4	in	2011		79.2	in	1965	8	3.52	in	1979	8	12.08	in	2013
9	82.7	in	1950	9	79.4	in	1960	9	3.58	in	1952	9	11.87	in	1994
10	82.6	in	1969	1.0	79.5	in	1967	10	3.70	in	1970	10	11.25	in	2017
	82.6	in	1944		79.5	in	1962								
19	81.8	in	2017	50	81.8	in	2017								

Normal June Temp at GIF = 82.0 Normal June Rain at GIF = 7.71

Bartow (Records Began January 1892):

Warmest Junes C	oolest Junes	Driest Junes	Wettest Junes
2 85.7 in 2015 3 84.0 in 2014 4 83.9 in 2010 5 83.7 in 1927 6 83.4 in 1969 83.4 in 1944 8 83.3 in 2013 9 83.2 in 1981	77.7 in 1913 77.9 in 1936 78.1 in 1892 78.4 in 1930 78.6 in 1966 78.7 in 1938 78.8 in 1919 78.8 in 1912 79.0 in 1972	1 0.73 in 1964 2 0.79 in 1998 3 1.41 in 1948 4 2.12 in 1931 5 2.41 in 1973 6 2.59 in 1905 7 3.09 in 1993 8 3.22 in 1950 9 3.52 in 1980 0 3.64 in 1911	1 21.62 in 1913 2 17.76 in 1934 3 16.97 in 2005 4 16.32 in 2003 5 15.78 in 1939 6 15.03 in 1945 7 15.00 in 1949 8 14.39 in 1894 9 14.35 in 1942 10 13.74 in 1953
42 81.4 in 2017 78 in 1997 in 1991 in 1899 Avg Temp for June 201 Normal June Temp at B.	81.4 in 2017 in 1997 in 1991 in 1899 7 = 81.4	1 12.58 in 2017 ain Total for June	2017 = 12.58

Contact: Paul Close, Paul.Close@noaa.gov

Date: 07/02/2017

Sarasota-Bradenton Area (Records Began January 1911):

Wa	armest	Jı	unes	Co	ooles	t Jı	ınes	Dr	riest 3	June	es		W∈	ettest	Jur	nes
1	83.9	in	1998	1	76.4	in	1913	1	0.64	in	1998		1	25.60	in	1912
2	83.5	in	2010	2	77.5	in	1930	2	1.20	in	2011		2	23.30	in	1943
3	83.4	in	2016	3	77.8	in	1976	3	1.28	in	1918		3	22.34	in	1992
4	82.1	in	1950	4	78.0	in	1916	4	1.30	in	2007		4	15.45	in	2012
5	81.9	in	2013	5	78.1	in	1955	5	1.46	in	1956		5	13.49	in	1945
	81.9	in	2009	6	78.2	in	1933	6	1.58	in	1951		6	13.39	in	1968
7	81.8	in	1994	7	78.3	in	1956	7	1.68	in	1926		7	12.40	in	1974
	81.8	in	1993		78.3	in	1931	8	1.69	in	1948		8	12.27	in	1976
	81.8	in	1985	9	78.5	in	1947	9	2.44	in	1931		9	12.08	in	1957
	81.8	in	1981		78.5	in	1920	10	2.51	in	2004		10	11.75	in	1996
													11	11.25	in	1939
27	81.0	in	2017	37	81.0	in	2017	96	11.08	in	2017		12	11.08	in	2017
		in	2003			in	2003									
		in	1958			in	1958									
		in	1953			in	1953									
		in	1944			in	1944									
	,	_	_			20 (7 -				25.		- 1	
No:	rma⊥ (June	e T'emp	at SI	KQ = 8	30.8	3	Nor	rma⊥ Ji	ıne	Kaın	at	SRÇ	Q = 7.5	ΣL	

Myakka River State Park (Temperature Records Began March 1956/ Rainfall Records Began September 1943):

Warmest Junes	Coolest Junes	Driest Junes	Wettest Junes
1 85.2 in 1998 2 84.4 in 2010	1 78.1 in 1962 2 78.4 in 1968	1 1.75 in 2007 2 1.76 in 2011	1 26.16 in 1992 2 22.74 in 2003
3 82.5 in 1994	3 78.5 in 1976	3 2.49 in 1980	3 20.03 in 1974
4 82.3 in 1981	4 78.6 in 1984	4 2.87 in 1984	4 19.92 in 2012
5 82.1 in 2015	78.6 in 1960	2.87 in 1948	5 17.03 in 1995
82.1 in 1985	6 78.9 in 1974	6 3.07 in 1979	6 16.60 in 1968
7 82.0 in 2011	7 79.2 in 1961	7 3.20 in 1988	7 16.53 in 2005
8 81.9 in 2016	79.2 in 1959	8 3.53 in 1955	8 15.84 in 2013
9 81.8 in 1997	9 79.4 in 1986	9 3.55 in 1956	9 15.77 in 1981
10 81.7 in 1999	79.4 in 1963	10 3.74 in 1958	10 15.61 in 1982

Avg Temp for June 2017 = Not Avbl Yet Rain Total for June 2017 = Not Avbl Yet Normal June Temp at MKCF1 = 80.9 Normal June Rain at MKCF1 = 9.65

Contact: Paul Close, Paul.Close@noaa.gov

Venice (Records Began May 1955):

Warmest Junes	Coolest Junes	Driest Junes	Wettest Junes
1 86.4 in 2010	1 78.6 in 1955	1 1.04 in 1980	1 25.91 in 1992
2 85.7 in 1998	2 78.7 in 1966	1.04 in 1979	2 19.31 in 2003
3 83.9 in 2004	3 79.0 in 1988	3 1.06 in 1988	3 19.18 in 2005
4 83.7 in 2011	79.0 in 1984	4 1.33 in 1990	4 16.78 in 2012
5 83.0 in 2009	5 79.3 in 1974	5 1.38 in 1960	5 14.16 in 1995
6 82.8 in 2013	79.3 in 1961	6 1.57 in 2011	6 12.59 in 1962
7 82.6 in 1994	79.3 in 1960	7 2.01 in 1961	7 11.93 in 1974
8 82.5 in 2003	8 79.6 in 1975	8 2.43 in 1985	8 11.50 in 1982
9 82.2 in 2012	79.6 in 1967	9 2.45 in 1955	9 11.17 in 1968
10 82.1 in 1997	79.6 in 1956	10 2.46 in 1971	10 10.76 in 2001
			11 10.66 in 2017
19 81.3 in 2017	34 81.3 in 2017		
in 2014	in 2014		
in 1999	in 1999		
in 1996	in 1996		
in 1985	in 1985		
Normal June Temp at	VNCF1 = 80.9	Normal June Rain at	VNCF1 = 7.50

Wauchula 2 N (Records Began January 1933):

Warmest Junes	Coolest Junes	Driest Junes	Wettest Junes
1 83.9 in 2009 2 83.4 in 1998 3 82.9 in 2008 4 82.6 in 1993 82.6 in 1985 82.6 in 1969 7 82.2 in 1987 82.2 in 1981 9 82.1 in 2010 10 81.9 in 1990	1 78.0 in 1955 2 78.1 in 2012 78.1 in 1996 78.1 in 1976 5 78.2 in 1994 6 78.9 in 1999 78.9 in 1966 78.9 in 1956 9 79.0 in 1965 10 79.1 in 2014	1 1.69 in 1998 2 2.40 in 1952 3 3.02 in 1948 4 3.18 in 2000 5 3.26 in 1964 6 3.48 in 1958 7 3.53 in 2010 8 3.69 in 1956 9 3.72 in 1960 10 3.82 in 1984	1 19.40 in 1939 2 16.20 in 2005 3 16.03 in 1953 4 15.96 in 1982 5 15.85 in 1968 6 15.24 in 1945 7 15.11 in 1943 8 14.97 in 1974 9 14.77 in 1962 10 13.97 in 1959
Avg Temp thru June Normal June Temp at	,	Rain Total thru Ju Normal June Rain a	•

Arcadia (Records Began November 1899):

Warmest	Junes	Coolest Junes	Driest Junes	Wettest Junes
1 83.6	in 1998	1 76.4.in 1917	1 2.55 in 1931	1 23.70 in 1982
	in 1927	2 77.8 in 1989	2 2.88 in 1956	2 20.19 in 1939
3 82.9	in 1981	3 77.9 in 1955	3 3.07 in 1921	3 18.73 in 1947
4 82.7	in 2010	4 78.0 in 1990	4 3.10 in 1952	4 18.26 in 2002
5 82.4	in 1952	5 78.1 in 1996	5 3.36 in 1932	5 18.24 in 1942
6 81.8	in 1950	6 78.2 in 1976	6 3.56 in 1948	6 17.40 in 1962
7 81.6	in 1902	78.2 in 1971	7 3.80 in 1987	7 16.59 in 1912
8 81.5	in 1985	78.2 in 1968	8 3.98 in 1905	8 16.30 in 1946
81.5	in 1945	9 78.3 in 1966	9 4.02 in 2006	9 16.02 in 2012
81.5	in 1944	78.3 in 1936	0 4.04 in 1957	10 15.93 in 1992
81.5	in 1911	78.3 in 1933		
81.5	in 1901			
		• • •	• •	• • •
35 80.7	in 2017	68 80.7 in 2017	94 14.55 in 2017	15 14.55 in 2017
	in 1954	in 1954		
	in 1951	in 1951		
	in 1928	in 1928		
Normal	June Temn at	$\Delta RCF1 = 80.2 \qquad Nc$	ormal June Rain at Al	RCF1 = 9 10

Normal June Temp at ARCF1 = 80.2 Normal June Rain at ARCF1 = 9.10

Archbold Bio Stn (Records Began January 1969):

Warmest Junes	Coolest Junes	Driest Junes	Wettest Junes
1 83.5 in 2010	1 77.1 in 1984	1 0.90 in 1998	1 18.66 in 2002
2 82.2 in 1998	2 77.4 in 1976	2 1.70 in 1979	2 17.33 in 2013
3 81.6 in 2016	3 78.1 in 1999	3 2.40 in 1980	3 15.85 in 1986
4 81.4 in 1981	4 78.2 in 2007	4 2.79 in 2010	4 15.77 in 1992
5 81.2 in 1985	78.2 in 1971	5 3.01 in 1988	5 14.12 in 1974
6 81.1 in 2015	6 78.4 in 1970	6 3.27 in 1987	6 13.89 in 2005
7 81.0 in 1987	7 78.5 in 1996	7 3.76 in 2000	7 12.73 in 2015
8 80.8 in 2004	8 78.7 in 1974	8 4.64 in 2006	8 12.21 in 1969
9 80.7 in 1991	9 78.8 in 1983	9 4.79 in 1989	9 11.35 in 1994
10 80.5 in 2013	78.8 in 1973	10 4.89 in 2014	10 11.14 in 1982

Avg Temp for June 2017 = Not Avbl Yet Rain Total for June 2017 = Not Avbl Yet Normal June Temp at ACHF1 = 79.5. Normal June Rain at ACHF1 = 8.20

Punta Gorda Area (Records Began June 1914):

Warmest Junes	Coolest Junes	Driest Junes	Wettest Junes
1 84.1 in 1998	1 78.3 in 1930	1 2.00 in 1979	1 23.99 in 1974
2 83.8 in 2010	2 78.9 in 1938	2 2.16 in 1960	2 20.29 in 1939
3 83.3 in 2017	3 79.1 in 1976	3 2.30 in 1920	3 19.75 in 1992
83.3 in 2016	79.1 in 1929	4 3.06 in 1924	4 17.63 in 1995
83.3 in 1948	5 79.2 in 1936	5 3.08 in 1927	5 16.81 in 2003
6 83.1 in 1985	6 79.3 in 1971	6 3.37 in 1964	6 16.27 in 1999
83.1 in 1951	79.3 in 1955	7 3.44 in 2007	7 15.93 in 1943
8 83.0 in 2015	8 79.5 in 1968	8 3.48 in 1977	8 15.92 in 1949
83.0 in 1945	79.5 in 1967	3.48 in 1916	9 15.53 in 2017
10 82.9 in 1994	79.5 in 1923	10 4.12 in 1952	10 15.39 in 1946

Normal June Temp at PNTF1 = 81.8 Normal June Rain at PNTF1 = 8.92

Fort Myers Area (Records Began January 1902):

Warmest Junes	Coolest Junes	Driest Junes	Wettest Junes
1 85.9 in 1981 2 85.3 in 2010 3 84.5 in 1998 4 84.0 in 1997 5 83.8 in 1994	1 78.5 in 1908 2 78.6 in 1904 3 78.7 in 1930 78.7 in 1910 5 78.8 in 1976	1 1.99 in 1980 2 2.48 in 2014 3 3.59 in 1932 4 3.73 in 1944 5 3.76 in 1985	1 27.61 in 1912 2 20.25 in 1936 3 20.10 in 1974 4 18.73 in 1992 5 18.42 in 2005
6 83.7 in 1985 83.7 in 1982 8 83.4 in 1980 9 83.2 in 2009 83.2 in 1944	6 78.9 in 1955 7 79.0 in 1912 79.0 in 1903 9 79.2 in 1917 10 79.3 in 1918 79.3 in 1913	3.76 in 1913 7 3.96 in 1931 8 3.99 in 1973 9 4.52 in 2001 10 4.58 in 1964	6 17.92 in 1983 7 16.43 in 1939 8 16.10 in 1959 9 16.06 in 1943 10 15.11 in 1922
24 82.4 in 2017 in 2014 in 2006 in 1975 in 1942	89 82.4 in 2017 in 2014 in 2006 in 1975 in 1942	100 14.15 in 2017	17 14.15 in 2017

Normal June Temp at FMY = 82.5 Normal June Rain at FMY = 10.09

For more Climate information visit our web site at the following link: http://www.weather.gov/tampabay and then go to the Climate and Past Weather drop down menu above the graphical forecast images.

Date: 07/02/2017 Contact: Paul Close, Paul.Close@noaa.gov